

## **Confirmation of HLA Typing**

Registry Use Only	OMB No: 0915-0310
Sequence Number:	Expiration Date: 08/31/2025
	Public Burden Statement: The purpose of this data collection system is to provide technical assistance and share expertise with health care organizations, health care providers and health care networks interested in implementing telehealth technology. The resource centers serve as focal points for advancing the effective use of telehealth technologies in their respective communities and regions. An agency may not conduct or sponsor,
Date Received:	and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The OMB control number for this information collection is 0915-0310 and it is valid until 08/31/2025. Public reporting burden for this collection of information is estimated to average 0.27 hours per response, including the time for reviewing instructions, searching existing data sources, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing
	this burden, to HRSA Reports Clearance Officer, 5600 Fishers Lane, Room 14N136B, Rockville, Maryland, 20857 or paperwork@hrsa.gov.
CIBMTR Center Number:	
CIBMTR Research ID:	
Event date:	
YYYY MM DD	
Product Identifiers:	
Registry donor ID:	
Non-NMDP cord blood unit ID:	
Global Registration Identifier for Donors (GRID):	
ISBT DIN:	
Registry or UCB Bank ID:	
Donor DOB:	
YYYY MM DD	
Donor Age:	han 1 year old)
□ Years	
Donor Sex: ☐ Male ☐ Female	

CIBM	CIBMTR Center Number:         CIBMTR Research ID:	
Dono	or / Cord Blood Unit Identification	
cord	form must be completed for all non-NMDP allogeneic or syngeneic donors or recipients, or non-NMDP blood units. If the donor, recipient, or cord blood unit was secured through the NMDP, then report HLA g on the appropriate NMDP forms.	
A sep	parate copy of this form should be completed for each non-NMDP donor, recipient, or cord blood unit.	
1.	Specify the person for whom this typing is being done:	
	☐ Recipient — final typing	
	□ Donor	
HLA	Typing by DNA Technology	
2.	Was documentation submitted to the CIBMTR? (e.g. lab report)  ☐ Yes ☐ No	
	Alleles Defined by DNA Technology (e.g., Sequence Specific Oligonucleotide Probe (SSOP) typing, Sequence ific Primer (SSP) typing or Sequence Based (SBT) typing.)	
desig	technology can be used to type for a single allele, combinations of alleles (allele strings) or a "generic" allele nation which is similar to a serologic typing result. For this reason, the number of digits, as well as the number of s, for reporting will vary.	
the rebell to the	ratories may use " / ", " – " or a combination of numbers and letters on the typing report as a shorthand notation for esults. Transcribe the information onto the form as directly as possible. The letters are called allele codes, and will or more characters in length which represent a combination of possible alleles at a locus. The same allele ination may be reported several different ways (e.g., DRB1*01:01 or 01:02, DRB1*01:01/01:02, DRB1*01:01/02, RB1*01:AB).	
of the	e will be two alleles reported for each locus, unless the individual is presumed homozygous (i.e., carries two copies same allele) at a locus. Transcribe the first allele designation in the first box, and the second allele designation in econd box. If the person is homozygous, leave the second box blank.	
Class	s I	
3.	Locus A	
	☐ Known – Go to question 4	
	☐ Unknown – Go to question 5	
	4. First A* allele designations	

/ITR Center Number:	CIBMTR Research ID:	
Second A* allele designations		
Locus B		
☐ Known – Go to question 6		
☐ Unknown – Go to question 7		
6. First B* allele designations		
Second B* allele designations		
Locus C		
☐ Known – Go to question 8		
Unknown – <b>Go to question 9</b>		
8. First C* allele designations		
Second C* allele designations		

## Class II

9. Locus DRB1

☐ Known – Go to question 10

CIBIN	TIR Center Number: CIBMTR Research ID:
	☐ Unknown – Go to question 11
	10. First DRB1* allele designations
	Second DRB1* allele designations
Clas	s II (Optional)
Pleas	se provide the optional allele information if it is available from your laboratory.
11.	Locus DRB3
	☐ Known – Go to question 12
	☐ Unknown – Go to question 13
	12. First DRB3* allele designations
	Second DRB3* allele designations
13.	Locus DRB4
13.	☐ Known – <i>Go to question 14</i>
	☐ Unknown – Go to question 15
	14. First DRB4* allele designations

CIBN	BMTR Center Number: CIBN	MTR Research ID:
	Second DRB4* allele designations	
15.	Locus DRB5  ☐ Known – <i>Go to question 16</i> ☐ Unknown – <i>Go to question 17</i>	
	16. First DRB5* allele designations	
	Second DRB5* allele designations	
17.	Locus DQB1  ☐ Known – <i>Go to question 18</i>	
	☐ Unknown – Go to question 19	
	18. First DQB1* allele designations	
	Second DQB1* allele designations	
19.	Locus DPB1	
	☐ Known – Go to question 20	
	☐ Unknown – Go to question 21	

CIBMTR Form 2005 R7 (page 5 of 19). Form Released 23 Sep 2022. Last Updated 23 Sep 2022.

First DPB1\* allele designations

20.

CIB	MTR C	enter Number:	CIBMTR Research ID:
		Second DPB1* allele designations	
04		- DOM	
21.		s DQA1 nown – <i>Go to question 22</i>	
		nknown – <i>Go to question</i> 23	
	22.	First DOA4* allala decimations	
	22.	First DQA1* allele designations	
		Second DQA1* allele designations	
	_		
23.		s DPA1	
		nown – <i>Go to question 24</i> nknown – <i>Go to question 25</i>	
		Titalowii Co to quodion 20	
	24.	First DPA1* allele designations	
		Second DPA1* allele designations	

**Antigens Defined by Serologic Typing** 

CIBMTR Center Number:	CIBMTR Research ID:	
Use the following lists when reporting HLA-A and B antigens. Report broad antigens only when your laboratory was not able to confirm typing for a known split antigen.		

## Instructions for the use of the "X" Antigen Specificity for Typing By Serology

Each HLA locus has a serologically defined "X" antigen specificity: AX, BX, CX, DRX, DPX, and DQX. At this time an "X" specificity is defined as "unknown but known to be different from the other antigen at that locus." This is different from a blank specificity, which is defined as "unknown but assumed to be the same as the other antigen at that locus." When comparisons between recipient and donor antigens involve an "X" or "blank" specificity, the "X" or "blank" is assumed to be homozygous for the antigen reported at the locus. In other words, the search algorithm treats typings containing "blank" or "X" antigens in the same manner as known homozygous typings.

CIBN	/ITR Ce	enter Number:	CIBMTR Research ID:
A Ar	ntigens		
25.	Numb	per of antigens provided:	
	ΠО	ne – <b>Go to question 26, then continue</b>	with question 28
	□Т	wo – <b>Go to questions 26-27</b>	
	26.	Specificity – 1st antigen	
		□ A1	
		□ A2	
		□ A203	
		□ A210	
		□ A3	
		□ A9	
		□ A10	
		□ A11	
		□ A19	
		□ A23(9)	
		□ A24(9)	
		□ A2403	
		□ A25(10)	
		□ A26(10)	
		□ A28	
		□ A29(19)	
		□ A30(19)	
		□ A31(19)	
		□ A32(19)	
		□ A33(19)	
		□ A34(10)	
		□ A36	
		□ A43	
		□ A66(10)	
		□ A68(28)	
		□ A69(28)	
		□ A74(19)	
		□ A80	
		□ AX	

CIBMTR Center Number:		CIBMTR Research ID:	
27.	Specificity – 2nd antigen		
	□ A1		
	□ A2		
	□ A203		
	□ A210		
	□ A3		
	□ A9		
	□ A10		
	□ A11		
	□ A19		
	□ A23(9)		
	□ A24(9)		
	□ A2403		
	□ A25(10)		
	□ A26(10)		
	□ A28		
	□ A29(19)		
	□ A30(19)		
	□ A31(19)		
	□ A32(19)		
	□ A33(19)		
	□ A34(10)		
	□ A36		
	□ A43		
	□ A66(10)		
	□ A68(28)		
	□ A69(28)		
	□ A74(19)		
	□ A80		
	□ AX		

CIBM	ITR Ce	nter Number:	CIBMTR Research ID:
B An	tigens		
28.	Numb	er of antigens provided:	
	□ Oı	ne – <b>Go to question 29, then continue</b>	with question 31
	□ Tv	vo – <b>Go to questions 29-30</b>	
	29.	Specificity – 1st antigen	
		□ B5	
		□ B7	
		□ B703	
		□ B8	
		□ B12	
		□ B13	
		□ B14	
		□ B15	
		□ B16	
		□ B17	
		□ B18	
		□ B21	
		□ B22	
		□ B27	
		□ B2708	
		□ B35	
		□ B37	
		□ B38(16)	
		□ B39(16)	
		□ B3901	
		□ B3902	
		□ B40	
		□ B4005	
		□ B41	
		□ B42	
		□ B44(12)	
		□ B45(12)	
		□ B46	
		□ B47	

□ B48

CIBMTR Center Number:	CIBMTR Research ID:
□ B49(21)	
□ B50(21)	
□ B51(5)	
□ B5102	
□ B5103	
□ B52(5)	
□ B53	
□ B54(22)	
□ B55(22)	
□ B56(22)	
□ B57(17)	
□ B58(17)	
□ B59	
□ B60(40)	
□ B61(40)	
□ B62(15)	
□ B63(15)	
□ B64(14)	
□ B65(14)	
□ B67	
□ B70	
□ B71(70)	
□ B72(70)	
□ B73	
□ B75(15)	
□ B76(15)	
□ B77(15)	
□ B78	
□ B81	
□ B82	
□ вх	

CIBMTR Center Number:		CIBMTR Research ID:	
30.	Specificity – 2nd antigen		
	□ B5		
	□ B7		
	□ B703		
	□ B8		
	□ B12		
	□ B13		
	□ B14		
	□ B15		
	□ B16		
	□ B17		
	□ B18		
	□ B21		
	□ B22		
	□ B27		
	□ B2708		
	□ B35		
	□ B37		
	□ B38(16)		
	□ B39(16)		
	□ B3901		
	□ B3902		
	□ B40		
	□ B4005		
	□ B41		
	□ B42		
	□ B44(12)		
	□ B45(12)		
	□ B46		
	□ B47		
	□ B48		
	□ B49(21)		
	□ B50(21)		
	□ B51(5)		
	□ B5102		

□ B5103

CIBMTR Center Number:	CIBMTR Research ID:
□ B52(5)	
□ B53	
□ B54(22)	
□ B55(22)	
□ B56(22)	
□ B57(17)	
□ B58(17)	
□ B59	
□ B60(40)	
□ B61(40)	
□ B62(15)	
□ B63(15)	
□ B64(14)	
□ B65(14)	
□ B67	
□ B70	
□ B71(70)	
□ B72(70)	
□ B73	
□ B75(15)	
□ B76(15)	
□ B77(15)	
□ B78	
□ B81	
□ B82	
□ вх	

CIBM	ITR C	enter Number:	CIBMTR Research ID:	
Optic	nal A	ntigen Reporting		
Pleas	se pro	vide the following	optional antigen information if it is available from your laboratory.	
Antig	jens [	Defined by Serolog	ic Typing	
C An	tigens	5		
31.	Num	ber of antigens prov	vided:	
		one – <b>Go to questio</b>	on 32, then continue with question 34	
		wo – <b>Go to questic</b>	ons 32-33	
	32.	Specificity – 1st ar	ntigen	
		☐ Cw1		
		□ Cw2		
		□ Cw3		
		☐ Cw4		
		☐ Cw5		
		□ Cw6		
		☐ Cw7		
		☐ Cw8		
		☐ Cw9(w3)		
		☐ Cw10(w3)		
		□ CX		
	33.	Specificity – 2nd a	antigen	
		☐ Cw1		
		☐ Cw2		
		☐ Cw3		
		☐ Cw4		
		☐ Cw5		
		☐ Cw6		
		☐ Cw7		
		☐ Cw8		
		☐ Cw9(w3)		
		☐ Cw10(w3)		
		□ CX		

CIB	MTR Center Number:	CIBMTR Research ID:	
Bw s	Specificity		
34.	Specificity Bw4 present?		
	☐ Yes		
	□ No		
35.	Specificity Bw6 present?		
	☐ Yes		
	□ No		
DR /	Antigens		
36.	Number of antigens provided:		
	☐ One – Go to question 37, th	nen continue with question 39	
	☐ Two – Go to questions 37-3	28	
	37. Specificity – 1st antigen		
	□ DR1		
	☐ DR103		
	□ DR2		
	□ DR3		
	□ DR4		
	□ DR5		
	□ DR6		
	□ DR7		
	□ DR8		
	□ DR9		
	☐ DR10		
	□ DR11(5)		
	□ DR12(5)		
	□ DR13(6)		
	□ DR14(6)		
	☐ DR1403		
	☐ DR1404		
	□ DR15(2)		
	□ DR16(2)		
	□ DR17(3)		
	□ DR18(3)		

CIBMTR Center Number:			CIBMTR Research ID:		
		□ DRX			
	38.	Specificity – 2nd antigen			
		□ DR1			
		□ DR103			
		□ DR2			
		□ DR3			
		□ DR4			
		□ DR5			
		□ DR6			
		□ DR7			
		□ DR8			
		□ DR9			
		□ DR10			
		□ DR11(5)			
		□ DR12(5)			
		□ DR13(6)			
		□ DR14(6)			
		☐ DR1403			
		☐ DR1404			
		□ DR15(2)			
		□ DR16(2)			
		□ DR17(3)			
		□ DR18(3)			
		□ DRX			
DR51	Antige	en			
39.	Specific Ye				

CIBMTR Center Number:		CIBMTR Research ID:
DR5	2 Antigen	
40.	Specificity DR52 present? ☐ Yes ☐ No	
DR5	3 Antigen	
41.	Specificity DR53 present? ☐ Yes ☐ No	
DQ A	Antigens	
42.	Number of antigens provided:  ☐ One – Go to question 43, then continue ☐ Two – Go to questions 43-44	e with question 45
	43. Specificity – 1st antigen  □ DQ1 □ DQ2 □ DQ3 □ DQ4 □ DQ5(1) □ DQ6(1) □ DQ7(3) □ DQ8(3) □ DQ9(3) □ DQX	

CIBMTR Center Number:		nter Number:	CIBMTR Research ID:
	44. Specificity – 2nd antigen		
		□ DQ1	
		□ DQ2	
		□ DQ3	
		□ DQ4	
		□ DQ5(1)	
		□ DQ6(1)	
		□ DQ7(3)	
		□ DQ8(3)	
		□ DQ9(3)	
		□ DQX	
DP A	ntigen	s	
45.	Numb	er of antigens provided:	
	ΠО	ne – <b>Go to question 46, then continue</b>	with signature line
	□ T\	NO – Go to questions 46-47	
	46.	Specificity – 1st antigen	
		□ DPw1	
		□ DPw2	
		□ DPw3	
		□ DPw4	
		□ DPw5	
		□ DPw6	
		□ DPX	
	47.	Specificity – 2nd antigen	
		□ DPw1	
		□ DPw2	
		□ DPw3	
		□ DPw4	
		□ DPw5	
		□ DPw6	
		□ DPX	

BMTR Center Number:	CIBMTR Research ID:	
First Name:		
	Person completing form	
Last Name:		
E-mail address:		
Date:	·	
YYYY	MM DD	